



Roof

Access

*Access  
for life*

> Safer > Easier > Smarter

# Roof Access



## Retractable Ladder

- > 200kg load rating
- > Heavy duty aluminium
- > High quality steelwork
- > Easy slide height adjustment
- > Easy to use

### Models

A25 - 2300mm - 2450mm  
 A28 - 2550mm - 2700mm  
 A36 - 2700mm - 3660mm



## Fixed Ladder

- > 200kg load rating
- > Heavy duty aluminium
- > Custom built to height
- > Safety handrails
- > Fixed in position

### Models

FLA1000 - up to 1000mm  
 FLA1000-2000 - 1000mm - 2000mm  
 FLA2000-3000 - 2000mm - 3000mm  
 FLA3000-4000 - 3000mm - 4000mm  
 FLA4000-5000 - 4000mm - 5000mm



## Pivotal Ladder

- > 200kg load rating
- > Heavy duty aluminium
- > Custom built to height
- > Safety handrails
- > Stored at 90°

### Models

PLA1000 - up to 1000mm  
 PLA1000-2000 - 1000mm - 2000mm  
 PLA2000-3000 - 2000mm - 3000mm  
 PLA3000-4000 - 3000mm - 4000mm  
 PLA4000-5000 - 4000mm - 5000mm



## Roof Hatch

- > Built in 250mm upstand
- > Pneumatic stays
- > 2 point keyed locking system
- > High grade aluminium
- > Powder coated finish

### Models

SRH900700 - 900mm x 700mm  
 SRH800800 - 800mm x 800mm  
 SRH1200700 - 1200mm x 700mm  
 SRH1200900 - 1200mm x 900mm  
 SRH1500700 - 1500mm x 700mm



## Roof Hatch Barrier

- > Full barrier protection
- > Prevents falls through hatch
- > Bolts to roof hatch upstand
- > Galvanised pipe clamp
- > Easy to install

### Models

RHB900700 - 900mm x 700mm  
 RHB800800 - 800mm x 800mm  
 RHB1200700 - 1200mm x 700mm  
 RHB1200900 - 1200mm x 900mm  
 RHB1500700 - 1500mm x 700mm






## Roof Hatch Grabrail


- > Assists entry / exit
- > Used if barrier not required
- > Bolts to roof hatch upstand
- > Galvanised finish
- > Easy to install






### Models

RHG1000 - 1000mm height

# Specifications

| Range            | Retractable Ladder  |   |   |
|------------------|---|---|---|
| Model            | A25   | A28   | A36   |
| Ceiling Height   | 2300-2450   | 2550-2700   | 2700-3660   |
| Opening Required | 1400x650  | 1400x650  | 1400x650  |
| Max Load         | 200kg   | 200kg   | 200kg   |
| Angle            | 70°   | 70°   | 70°   |
| Material         | Aluminium   | Aluminium   | Aluminium   |
| Tread Profile    |  |  |  |
| Tread Depth      | 100   | 100   | 100   |
| Ladder Width     | 425   | 425   | 425   |
| Landing Space    | 1088-1141   | 1180-1232   | 1232-1581   |
| Projection       | 1517  | 1621  | 1777  |
| Stack Height     | 423   | 423   | 529   |
| Handrail         | ✓   | ✓   | ✓   |
| Rubber Feet      | ✓   | ✓   | ✓   |
| Insulated Lid    | ✓   | ✓   | ✓   |
| Uses             | Commercial  |   |   |



| Range         | Fixed Ladder (FLA) & Pivotal Ladder (PLA)   |   |   |   |   |
|---------------|---|---|---|---|---|
| Models        | FLA/PLA1000   | FLA/PLA1000-2000  | FLA/PLA2000-3000  | FLA/PLA3000-4000  | FLA/PLA4000-5000  |
| Height        | up to 1000  | 1000 - 2000   | 2000 - 3000   | 3000 - 4000   | 4000 - 5000   |
| Max Load      | 200kg   | 200kg   | 200kg   | 200kg   | 200kg   |
| Angle         | 70°   | 70°   | 70°   | 70°   | 70°   |
| Material      | Aluminium   | Aluminium   | Aluminium   | Aluminium   | Aluminium   |
| Tread Profile |  |  |  |  |  |
| Tread Depth   | 100   | 100   | 100   | 100   | 100   |
| Ladder Width  | 446   | 446   | 446   | 446   | 446   |
| Handrails     | -   | -   | ✓   | ✓   | ✓   |
| Uses          | Commercial  |   |   |   |   |

| Range     | Roof Hatch |           |            |            |            |
|-----------|------------|-----------|------------|------------|------------|
| Model     | SRH900700  | SRH800800 | SRH1200700 | SRH1200900 | SRH1500700 |
| Trim Size | 900 x 700  | 800 x 800 | 1200 x 700 | 1200 x 900 | 1500 x 700 |
| Upstand   | 250        | 250       | 250        | 250        | 250        |
| Thickness | 2.5        | 2.5       | 2.5        | 2.5        | 2.5        |
| Barrier   | RHB900700  | RHB800800 | RHB1200700 | RHB1200900 | RHB1500700 |
| Uses      | Commercial |           |            |            |            |